







ANVER's VP Series flat vacuum cups are also available for use with our ball swivel suspensions. These cups have been designed using our 30+ years of experience in the vacuum handling field making them some of the most versatile and economical vacuum cups we offer.

Vacuum Cup Material:


- The standard seal material is Nitrile (NBR), some seals available in Silicone (SI) or ANVER Nomathane® (NM).





Part Number	VP26SSR-NBR	VP26SSR-NBR-G	VP31SSR-NBR	VP31SSR-NBR-G	VP36SSR-NBR	VP36SSR-NBR-G
Pad Seal Number	SSR-26	SSR-26	SSR-31	SSR-31	SSR-36	SSR-36
Pad Hub Number	24400625	24400625-1	24400625	24400625-1	24400625	24400625-1
A Cup Dia. in. (mm)	2.55 (65)	2.55 (65)	3.1 (79)	3.1 (79)	3.55 (90)	3.55 (90)
B Dia. in. (mm)	1.13 (29)	1.13 (29)	1.13 (29)	1.13 (29)	1.13 (29)	1.13 (29)
C Lip Height in. (mm)	.25 (6.3)	.25 (6.3)	.25 (6.3)	.25 (6.3)	.25 (6.3)	.25 (6.3)
D Height in. (mm)	1.05 (27)	1.05 (27)	1.05 (27)	1.05 (27)	1.05 (27)	1.05 (27)
Vacuum Port	3/8" NPT	3/8" G	3/8" NPT	3/8" G	3/8" NPT	3/8" G
Rated Load* lbs. (kg)	20 (9)	20 (9)	30 (13)	30 (13)	36 (16)	36 (16)
Weight lb. (kg)	.15 (.07)	.15 (.07)	.15 (.07)	.15 (.07)	.15 (.07)	.15 (.07)





Part Number	VP46S-NBR	VP46S-NM (Special Order)	VP46R-NBR	VP46R-NM (Special Order)
Replacement Seal Number	SSR-46	SSR-46-NM Special Order	SSR-46	SSR-46-NM Special Order
A Cup Dia. in. (mm)	4.44 (113)	4.44 (113)	4.44 (113)	4.44 (113)
B Dia. in. (mm)	1.44 (36)	1.44 (36)	1.75 (45)	1.75 (45)
C Lip Height in. (mm)	0.28 (7)	0.28 (7)	0.28 (7)	0.28 (7)
D Height in. (mm)	1.65 (42)	1.65 (42)	1.2 (31)	1.2 (31)
Vacuum Port	1/8 NPT	1/8 NPT	3/8 NPT	3/8 NPT
Rated Load* lbs. (kg)	60 (27)	60 (27)	60 (27)	60 (27)
Weight lb. (kg)	0.5 (0.23)	0.5 (0.23)	0.45 (0.21)	0.45 (0.21)





Part Number	VP50-NBR	VP50-SI	VP56-NBR	VP56-SI
Replacement Seal Number	SSR-50 Consult Factory	SSR-50-SI Consult Factory	SSR-56	SSR-56-SI
A Cup Dia. in. (mm)	5.13 (130)	5.13 (130)	5.56 (141)	5.56 (141)
B Dia. in. (mm)	3.25 (83)	3.25 (83)	3.31 (84)	3.31 (84)
C Lip Height in. (mm)	0.31 (8)	0.31 (8)	0.37 (9)	0.37 (9)
D Height in. (mm)	0.95 (24)	0.95 (24)	1.19 (30)	1.19 (30)
Vacuum Port	1/8 NPT	1/8 NPT	1/8 NPT	1/8 NPT
Rated Load* lbs. (kg)	80 (36)	80 (36)	80 (36)	80 (36)
Weight lb. (kg)	0.63 (0.28)	0.63 (0.28)	0.7 (0.29)	0.7 (0.29)





Part Number	VP62-NBR	VP62-SI	VP66-NBR	VP66-SI (Special Order)
Replacement Seal Number	SSR-62	SSR-62-SI	SSR-66	SSR-66-SI Special Order
A Cup Dia. in. (mm)	6 (153)	6 (153)	6.63 (168)	6.63 (168)
B Bolt-Circle in. (mm)	Inner Mounting	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)
	Outer Mounting	N/A	N/A	N/A
C Flex in. (mm)	0.24 (7)	0.24 (7)	0.43 (11)	0.43 (11)
D Height in. (mm)	1.06 (27)	1.06 (27)	1.33 (34)	1.33 (34)
E Height with Collar in. (mm)	Info to Come	Info to Come	Info to Come	Info to Come
Vacuum Port	1/4" NPT	1/4" NPT	1/4" NPT	1/4" NPT
Rated Load* lbs. (kg)	110 (50)	110 (50)	110 (50)	110 (50)
Weight lb. (kg)	0.8 (0.36)	0.8 (0.36)	0.9 (0.41)	0.9 (0.40)





Part Number	VP72-NBR	VP72-SI	VP76-NBR	VP76-SI (Special Order)
Replacement Seal Number	SSR-72	SSR-72-SI	SSR-76	SSR-76-SI Special Order
A Cup Dia. in. (mm)	7 (178)	7 (178)	7.75 (197)	7.75 (197)
B Bolt-Circle in. (mm)	Inner Mounting	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)
	Outer Mounting	N/A	N/A	N/A
C Flex in. (mm)	0.24 (6)	0.38 (10)	0.43 (11)	0.43 (11)
D Height in. (mm)	1.06 (27)	1.06 (27)	1.32 (33)	1.32 (33)
E Height with Collar in. (mm)	Info to Come	Info to Come	Info to Come	Info to Come
Vacuum Port	1/4" NPT	1/4" NPT	1/4" NPT	1/4" NPT
Rated Load* lbs. (kg)	160 (73)	160 (73)	160 (73)	160 (73)
Weight lb. (kg)	1.15 (0.52)	1.15 (0.52)	1.3 (0.57)	1.3 (0.57)





Part Number	VP82-NBR	VP82-SI (Special Order)	VP86-NBR	VP86-SI
Replacement Seal Number	SSR-82	SSR-82-SI Special Order	SSR-86-NBR	SSR-86-SI
A Cup Dia. in. (mm)	8 (203)	8 (203)	8.81 (224)	8.81 (224)
B Bolt-Circle in. (mm)	Inner Mounting	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)
	Outer Mounting	(4) 5/16-18 UNC holes on $\varnothing 4.50$ ($\varnothing 114$)	(4) 5/16-18 UNC holes on $\varnothing 4.50$ ($\varnothing 114$)	(4) 5/16-18 UNC holes on $\varnothing 4.50$ ($\varnothing 114$)
C Flex in. (mm)	0.27 (7)	0.27 (7)	0.46 (12)	0.46 (12)
D Height in. (mm)	1.19 (31)	1.19 (31)	1.4 (35)	1.4 (35)
E Height with Collar in. (mm)	Info to Come	Info to Come	Info to Come	Info to Come
Vacuum Port	1/4" NPT	1/4" NPT	1/4" NPT	1/4" NPT
Rated Load* lbs. (kg)	220 (100)	220 (100)	220 (100)	220 (100)
Weight lb. (kg)	1.5 (0.68)	1.5 (0.68)	1.8 (0.79)	1.8 (0.79)



Part Number	VP92-NBR	VP92-SI	VP96-NBR	VP96-SI
Replacement Seal Number	SSR-92	SSR-92-SI	SSR-96	SSR-96-SI
A Cup Dia. in. (mm)	9.13 (232)	9.13 (232)	10 (254)	10 (254)
B Bolt-Circle in. (mm)	Inner Mounting	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)	(4) M6 x 1.0 holes on $\varnothing 1.38$ ($\varnothing 35$)
	Outer Mounting	(4) 5/16-18 UNC holes on $\varnothing 4.50$ ($\varnothing 114$)	(4) 5/16-18 UNC holes on $\varnothing 4.50$ ($\varnothing 114$)	(4) 5/16-18 UNC holes on $\varnothing 4.50$ ($\varnothing 114$)
C Flex in. (mm)	0.45 (11)	0.45 (11)	0.53 (13)	0.53 (13)
D Height in. (mm)	1.5 (38)	1.5 (38)	1.5 (38)	1.5 (38)
E Height with Collar in. (mm)	Info to Come	Info to Come	Info to Come	Info to Come
Vacuum Port	3/8" NPT	3/8" NPT	3/8" NPT	3/8" NPT
Rated Load* lbs. (kg)	275 (125)	275 (125)	275 (125)	275 (125)
Weight lb. (kg)	2.4 (1.08)	2.4 (1.08)	2.5 (1.13)	2.5 (1.13)



Part Number		VP122-NBR	VP126-NBR	VP126-SI
Replacement Seal Number		SSR-122	SSR-126	SSR-126-SI
A Cup Dia. in. (mm)		12 (305)	12.6 (321)	12.6 (321)
B Bolt-Circle in. (mm)	Inner Mounting	(4) M10 x 1.5 2.25 B.C. (ø57)	(4) M10 x 1.5 2.25 B.C. (ø57)	(4) M10 x 1.5 2.25 B.C. (ø57)
	Outer Mounting	(4) M10 x 1.5 holes on ø8.00 (ø203)	(4) M10 x 1.5 holes on ø8.00 (ø203)	(4) M10 x 1.5 holes on ø8.00 (ø203)
C Flex in. (mm)		0.53 (13)	0.53 (13)	0.53 (13)
D Height in. (mm)		1.49 (38)	1.49 (38)	1.49 (38)
E Height with Collar in. (mm)		N/A	N/A	N/A
Vacuum Port		3/8" NPT	3/8" NPT	3/8" NPT
Rated Load* lbs. (kg)		500 (227)	500 (227)	500 (227)
Weight lb. (kg)		6.4 (2.9)	6.6 (3.0)	6.6 (3.0)



Part Number		VP146-NBR	VP146-SI (Special Order)
Replacement Seal Number		SSR-146	SSR-146-SI Special Order
A Cup Dia. in. (mm)		15 (381)	15 (381)
B Bolt-Circle in. (mm)	Inner Mounting	(4) M10x1.5 2.25 B.C. (ø57)	(4) M10x1.5 2.25 B.C. (ø57)
	Outer Mounting	(8) M10x1.5 6.50 sq. (165)	(8) M10x1.5 6.50 sq. (165)
C Flex in. (mm)		0.54 (14)	0.54 (14)
D Height in. (mm)		1.45 (37)	1.45 (37)
E Height with Collar in. (mm)		N/A	N/A
Vacuum Port		3/8" NPT	3/8" NPT
Rated Load* lbs. (kg)		750 (340)	750 (340)
Weight lb. (kg)		10.4 (4.7)	10.4 (4.7)